

KÖSTER KB-Pox IN B

Revision date: 25.06.2021

Product code: IN_231_B

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

KÖSTER KB-Pox IN B

UFI:

F0E3-M8WY-70MY-N2UX

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

The product is intended for professional use.

Uses advised against

No identified use(s).

1.3. Details of the supplier of the safety data sheet

| Company name: | KÖSTER BAUCHEMIE AG | |
|--------------------------|--|---------------------------|
| Street: | Dieselstrasse 1 - 10 | |
| Place: | D-26607 Aurich | |
| Telephone: | +49-4941-9709-0 | Telefax: +49-4941-9709-40 |
| e-mail: | info@koester.eu | |
| Contact person: | Forschung & Entwicklung | |
| e-mail: | produktsicherheit@koester.eu | |
| Internet: | www.koester.eu | |
| 1.4. Emergency telephone | +49-551-19240 (24 h, Giftinformations: | zentrum Nord) |
| number: | | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Chronic 3; H412

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Hazard components for labelling

3-aminomethyl-3,5,5-trimethylcyclohexylamine Poly(propylene glycol)bis(2-aminopropyl ether) Phenol, styrenated m-Xylenediamine Cashew Nutshell Extrat

Signal word: Pictograms:



Hazard statements H302

Harmful if swallowed.



KÖSTER KB-Pox IN B Revision date: 25.06.2021 Product code: IN 231 B Page 2 of 11 H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. **Precautionary statements** P260 Do not breathe dust/fume/gas/mist/vapours/spray. P264 Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P280 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Additional advice on labelling Labelling according to Regulation (EC) No. 1272/2008 [CLP]

2.3. Other hazards

The mixture may be a skin sensitiser. It may also be a skin irritant and repeated contact may increase this effect.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

amines.

Hazardous components

| CAS No | Chemical name | | | Quantity |
|------------|--|--------------------------------------|-------------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) |) | | |
| 2855-13-2 | 3-aminomethyl-3,5,5-trimethylcyclo | hexylamine | | 20 - < 40 % |
| | 220-666-8 | 612-067-00-9 | | |
| | Acute Tox. 4, Skin Corr. 1B, Eye D | am. 1, Skin Sens. 1A; H302 H314 H | I318 H317 | |
| 9046-10-0 | Poly(propylene glycol)bis(2-aminop | propyl ether) | | 10 - < 20 % |
| | 618-561-0 | | 01-2119557899-12 | |
| | Skin Corr. 1C, Eye Dam. 1, Aquation | c Chronic 3; H314 H318 H412 | | |
| 8007-24-7 | Cashew Nutshell Extrat | | | 10 - < 20 % |
| | 700-991-6 | | 01-2119502450-57 | |
| | Acute Tox. 4, Acute Tox. 4, Skin Irr | it. 2, Eye Dam. 1, Skin Sens. 1A; H | 312 H302 H315 H318 H317 | |
| 1477-55-0 | m-Xylenediamine | | | 10 - < 20 % |
| | 216-032-5 | | 01-2119480150-50 | |
| | Acute Tox. 4, Acute Tox. 4, Acute ⁻ H312 H302 H314 H317 H412 | Tox. 4, Skin Corr. 1B, Skin Sens. 1, | Aquatic Chronic 3; H332 | |
| 61788-44-1 | Phenol, styrenated | | | 5 - < 10 % |
| | 262-975-0 | | | |
| | Skin Irrit. 2, Eye Irrit. 2, Skin Sens. | 1, Aquatic Chronic 2; H315 H319 H | 317 H411 | |
| 90-72-2 | 2,4,6-tris(dimethylaminomethyl)phe | enol | | 5 - < 10 % |
| | 202-013-9 | 603-069-00-0 | | |
| | Acute Tox. 4, Skin Irrit. 2, Eye Irrit. | 2; H302 H315 H319 | | |

Full text of H and EUH statements: see section 16.



KÖSTER KB-Pox IN B

Revision date: 25.06.2021

Product code: IN_231_B

Page 3 of 11

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|-----------|----------------|---|-------------|
| | Specific Conc. | Limits, M-factors and ATE | |
| 2855-13-2 | 220-666-8 | 3-aminomethyl-3,5,5-trimethylcyclohexylamine | 20 - < 40 % |
| | oral: ATE 103 | 30 mg/kg Skin Sens. 1A; H317: >= 0,001 - 100 | |
| 9046-10-0 | 618-561-0 | Poly(propylene glycol)bis(2-aminopropyl ether) | 10 - < 20 % |
| | dermal: LD50 | = 2090 mg/kg; oral: LD50 = 2885,3 mg/kg | |
| 8007-24-7 | 700-991-6 | Cashew Nutshell Extrat | 10 - < 20 % |
| | dermal: LD50 | = 2000 mg/kg; oral: LD50 = 500 mg/kg | |
| 1477-55-0 | 216-032-5 | m-Xylenediamine | 10 - < 20 % |
| | | 50 = 5,6 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ng/kg; oral: ATE = 500 mg/kg | |
| 90-72-2 | 202-013-9 | 5 - < 10 % | |
| | oral: ATE = 50 | 0 mg/kg | |

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

First aider: Pay attention to self-protection! Move victim out of danger zone.

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water. Caution if victim vomits: Risk of aspiration!

4.2. Most important symptoms and effects, both acute and delayed

Processing vapours can irritate the respiratory tracts, skin and eyes. Allergic reactions. Gastrointestinal complaints. Further information SECTION 11: Toxicological information.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.Suitable extinguishing media: Dry extinguishing powder. Foam.

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Special exposure hazards arising from the substance itself, combustion products, resulting gases: Nitrogen oxides (NOx).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.



KÖSTER KB-Pox IN B

Revision date: 25.06.2021

Product code: IN_231_B

Page 4 of 11

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Further information on handling

Do not mix with other chemicals.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

Do not store together with: acid.

Further information on storage conditions

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

To date, no national critical limit values exist.

8.2. Exposure controls



KÖSTER KB-Pox IN B

Revision date: 25.06.2021

Product code: IN_231_B

Page 5 of 11

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Work in well-ventilated zones or use proper respiratory protection.

Individual protection measures, such as personal protective equipment

Eye/face protection

Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Suitable material: NBR (Nitrile rubber). penetration time (maximum wearing period): 480 min. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

When handling with chemical substances, protective clothing with CE-labels including the four control digits must be worn.

Respiratory protection

Work in well-ventilated zones or use proper respiratory protection.

Environmental exposure controls

Avoid release to the environment. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | liquid | |
|--|--------------|------------|
| Colour: | light yellow | |
| Odour: | stinging | |
| Boiling point or initial boiling point and | | > 200 °C |
| boiling range: | | |
| Flash point: | | > 160 °C |
| Vapour pressure: | | 5 hPa |
| (at 23 °C) | | |
| Density (at 23 °C): | | 0,97 g/cm³ |
| 2. Other information | | |
| Information with regard to physical haza | ard classes | |
| Explosive properties | | |
| not explosive. | | |
| Oxidizing properties | | |
| Not oxidising. | | |
| Other safety characteristics | | |
| Viscosity / dynamic: | | 30 mPa·s |
| (at 25 °C) | | |
| Further Information | | |
| No information available. | | |
| | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

<u>9</u>.

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions



KÖSTER KB-Pox IN B

Revision date: 25.06.2021

Product code: IN_231_B

Page 6 of 11

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Keep cool. Protect from sunlight.

10.5. Incompatible materials

Avoid: Oxidizing agent, Acids, Acrylate, Alcohols, aldehydes, halogenated hydrocarbons, Ketone. Nitrites. May be corrosive to metals.

10.6. Hazardous decomposition products

Thermal decomposition can lead to the escape of irritating gases and vapours. In case of fire may be liberated: Nitrogen oxides (NOx). amines.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Toxicocinetics, metabolism and distribution

No information available.

Acute toxicity

Harmful if swallowed.

ATEmix calculated

ATE (oral) 1029,8 mg/kg

| CAS No | Chemical name | | | | | |
|-----------|---------------------------|---------------|--------------|---------|--------|--------|
| | Exposure route | Dose | | Species | Source | Method |
| 2855-13-2 | 3-aminomethyl-3,5,5-trin | nethylcycloł | nexylamine | | | |
| | oral | ATE 103 | 0 mg/kg | | | |
| 9046-10-0 | Poly(propylene glycol)bis | s(2-aminopr | ropyl ether) | | | |
| | oral | LD50 mg/kg | 2885,3 | Rat | | |
| | dermal | LD50 mg/kg | 2090 | Rabbit | | |
| 8007-24-7 | Cashew Nutshell Extrat | | | | | |
| | oral | LD50 mg/kg | 500 | Rat | | |
| | dermal | LD50 mg/kg | 2000 | Rabbit | | |
| 1477-55-0 | m-Xylenediamine | | | | | |
| | oral | ATE mg/kg | 500 | | | |
| | dermal | LD50 mg/kg | 2000 | Rabbit | | |
| | inhalation (4 h) vapour | LC50 | 5,6 mg/l | Rat | | |
| | inhalation dust/mist | ATE | 1,5 mg/l | | | |
| 90-72-2 | 2,4,6-tris(dimethylaminor | methyl)pher | nol | | | |
| | oral | ATE mg/kg | 500 | | | |

Irritation and corrosivity

Causes severe skin burns and eye damage. Causes serious eye damage.



KÖSTER KB-Pox IN B

Revision date: 25.06.2021

Product code: IN_231_B

Page 7 of 11

Sensitising effects

May cause an allergic skin reaction. (3-aminomethyl-3,5,5-trimethylcyclohexylamine; Cashew Nutshell Extrat; m-Xylenediamine; Phenol, styrenated)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

inhalation. ingestion.

Specific effects in experiment on an animal

No information available.

Additional information on tests

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

| CAS No | Chemical name | | | | | | |
|------------|---------------------------|---------------|-------------|-----------|---------------------------------|--------|--------|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method |
| 9046-10-0 | Poly(propylene glycol)bis | (2-aminopro | opyl ether) | | | | |
| | Acute fish toxicity | LC50 mg/l | > 100 | 96 h | | | |
| | Acute algae toxicity | ErC50 | 135 mg/l | 72 h | Scenedesmus subspicatus | | |
| | Acute crustacea toxicity | EC50 | 15 mg/l | 48 h | Daphnia magna | | |
| 1477-55-0 | m-Xylenediamine | | | | | | |
| | Acute fish toxicity | LC50 | 75 mg/l | | Leuciscus idus (golden orfe) | | |
| | Acute algae toxicity | ErC50 | 12 mg/l | 72 h | Scenedesmus subspicatus | | |
| | Acute crustacea toxicity | EC50 mg/l | 15,2 | 48 h | Daphnia magna | | |
| 61788-44-1 | Phenol, styrenated | | | | | | |
| | Acute fish toxicity | LC50 mg/l | 14,8 | 96 h | | | |
| | Acute algae toxicity | ErC50 mg/l | 3,14 | 72 h | | | |
| | Acute crustacea toxicity | EC50 mg/l | 1-10 | 48 h | Daphnia magna | | |

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.



KÖSTER KB-Pox IN B

Revision date: 25.06.2021

Product code: IN_231_B

Page 8 of 11

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|-----------|--|---------|
| 2855-13-2 | 3-aminomethyl-3,5,5-trimethylcyclohexylamine | 1,9 |

12.4. Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

080111 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU and removal of paint and varnish; waste paint and varnish containing organic solvents or other hazardous substances; hazardous waste

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

| UN2735 |
|--|
| AMINES, LIQUID, CORROSIVE, N.O.S. (m-Xylenediamine |
| Isophorondiamin) |
| 8 |
| II |
| 8 |
| |
| C7 |
| 274 |
| 5 L |
| 3 |
| 80 |
| E |
| port) |
| |
| |



| | KÖSTER KB-Pox IN B | |
|--|--|--------------|
| Revision date: 25.06.2021 | Product code: IN_231_B | Page 9 of 11 |
| E2 | | |
| Inland waterways transport (ADN) <u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name: | UN2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-Xylenediamine, | |
| <u>14.3. Transport hazard class(es):</u> 14.4. Packing group: Hazard label: | Isophorondiamin) 8 II 8 | |
| Classification code: Special Provisions: Limited quantity: | C7 274 5 L | |
| Other applicable information (inland wat E1 E2 | | |
| Marine transport (IMDG) | | |
| 14.1. UN number or ID number: | UN2735 | |
| 14.2. UN proper shipping name: | AMINES, LIQUID, CORROSIVE, N.O.S. (m-Xylenediamine, Isophorondiamine) | |
| 14.3. Transport hazard class(es): | 8 | |
| 14.4. Packing group: | | |
| Hazard label: | 8 | |
| Special Provisions: | 223, 274 | |
| Limited quantity: | 5 L | |
| EmS: | F-A, S-B | |
| Other applicable information (marine tra E1 | ansport) | |
| E1 E2 | | |
| Air transport (ICAO-TI/IATA-DGR) | | |
| <u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name: | UN2735 AMINES, LIQUID, CORROSIVE, N.O.S. (m-Xylenediamine, Isophorondiamine) | |
| <u>14.3. Transport hazard class(es):</u> <u>14.4. Packing group:</u> Hazard label: | 8 8 | |
| Special Provisions: | A3 A803 | |
| Limited quantity Passenger: | 1 L | |
| IATA-packing instructions - Passenger: | 852 | |
| IATA-max. quantity - Passenger: | 5 L | |
| IATA-packing instructions - Cargo: | 856 | |
| IATA-max. quantity - Cargo: | 60 L | |



| | KÖSTER KB-Pox IN B | | |
|--|--|-----------------|---------------|
| Revision date: 25.06.2021 | Product code: IN_231_B | | Page 10 of 11 |
| Other applicable information (air transp | port) | | |
| E1 | | | |
| Passenger-LQ: Y841 | | | |
| E2 | | | |
| Passenger-LQ: Y840 | | | |
| 14.5. Environmental hazards | | | |
| ENVIRONMENTALLY HAZARDOUS: | Yes | NK | |
| | | | |
| | | | |
| Danger releasing substance: | SECTION 12: Ecological information | | |
| 14.6. Special precautions for user | | | |
| SECTION 6: Accidental release meas | sures | | |
| SECTION 7: Handling and storage | | | |
| SECTION 8: Exposure controls/perso | | | |
| 14.7. Maritime transport in bulk according | to IMO instruments | | |
| not applicable | | | |
| SECTION 15: Regulatory information | | | |
| 15.1. Safety, health and environmental reg | ulations/legislation specific for the substa | ance or mixture | |
| EU regulatory information | | | |
| Restrictions on use (REACH, annex XVII |): | | |
| Entry 3, Entry 75 | ,. | | |
| 2004/42/EC (VOC): | 1 % (11 g/l) | | |
| 2007(72) = 0 (VOC). | · / · · · · · · · · · · · · · · · · · · | | |

National regulatory information

| Water hazard class (D): | |
|-------------------------|--|
| Additional information | |

3 - highly hazardous to water

1-4

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,15.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%



Safety Data Sheet

according to UK REACH Regulation

KÖSTER KB-Pox IN B

Revision date: 25.06.2021

Product code: IN_231_B

Page 11 of 11

Classification for mixtures and used evaluation method according to GB CLP Regulation

| Classification | Classification procedure |
|-------------------------|--------------------------|
| Acute Tox. 4; H302 | Calculation method |
| Skin Corr. 1B; H314 | Calculation method |
| Eye Dam. 1; H318 | Calculation method |
| Skin Sens. 1; H317 | Calculation method |
| Aquatic Chronic 3: H412 | Calculation method |

Relevant H and EUH statements (number and full text)

| | H302 | Harmful if swallowed. |
|--|------|--|
| | H312 | Harmful in contact with skin. |
| | H314 | Causes severe skin burns and eye damage. |
| | H315 | Causes skin irritation. |
| | H317 | May cause an allergic skin reaction. |
| | H318 | Causes serious eye damage. |
| | H319 | Causes serious eye irritation. |
| | H332 | Harmful if inhaled. |
| | H411 | Toxic to aquatic life with long lasting effects. |
| | H412 | Harmful to aquatic life with long lasting effects. |
| | | |

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)